

Welcome to the Carson City District of the Bureau of Land Management. The district's diverse terrain encompasses mountains and deserts and is home for a wealth of wildlife. Listed are the amphibian and reptile species most likely to be found in the district, but keep in mind that occurrences of species not listed are possible.

To make the most of a visit to the public lands, take along a field guide to western amphibians and reptiles. A map of the area is available at the district office in Carson City or at any Nevada BLM office.

This list was compiled with the assistance of the Nevada State Museum biology department, the University of Nevada, Reno, and through reference to *Amphibians and Reptiles of the Pacific Coast and the Great Basin*, by John Van Denburgh and *The Audubon Society Field Guide to North American Reptiles and Amphibians*, 1979.

Italicized common names indicate federal listing, or candidate listing, for threatened or endangered status.

AMPHIBIANS

SALAMANDERS

Southern long-toed salamander

Ambystoma macrodactylum sigillatum Found in rotted wood, under rocks, in shaded areas and near water in the Sierra Nevada.

Sierra Nevada salamander

Ensatina eschscholtzi platensis Found under rotten logs, bark and rocks in shaded forested areas in the Sierra Nevada.

SPADEFOOT TOADS

Great Basin spadefoot *Scaphiopus intermontanus* A widespread species found in sagebrush flats and piñon-juniper woodlands.

TRUE TOADS

Boreal toad Bufo boreas boreas

A common garden toad found in higher valleys and meadows near water.

California toad *Bufo boreas halophilus*Similar to the boreal toad, this subspecies is found in the western part of the district.

TREEFROGS Pacific treefrog

Hyla regilla
A widespread species
found in varied
habitats such as
ditches, meadows,
slow streams and ponds.



TRUE FROGS

Red-legged frog Rana aurora

A species probably introduced to Nevada and found in marshes, ponds and quiet, permanent waters.



Bullfrog *Rana catesbeiana* Found in ponds, marshes and quiet, permanent water.

Northern leopard frog Rana pipiens

A widely distributed species with highly varied habitats.

Spotted frog Rana pretiosa

An uncommon, highly aquatic species found in the vicinity of cold, permanent water and probably limited to the eastern part of the district.

Mountain yellow-legged frog Rana muscosa
Found in streams of the woodlands and forests along
the western edge of the district.

TURTLES

Northwestern pond turtle

Clemmys marmorata marmorata
An uncommon species found in the Truckee and
Carson rivers.

REPTILES

LIZARDS

Desert banded gecko

Coleonyx variegatus variegatus

The extreme southern part of the district.

Western chuckwalla Sauromalus obesus obesus

The extreme southern part of the district.

Long-nosed leopard lizard

Gambelia wislizenii wislizenii

A widely distributed subspecies found in open brushy areas and bunchgrass.

Collared lizard Crotaphytus collaris

Locally abundant on sparsely vegetated, dry, rocky slopes.

Zebra-tailed lizard

Callisaurus draconoides

A widely distributed lizard found in sandy deserts among low-growing shrubs, washes and open areas with small rocks.

Northern side-blotched lizard

Uta stansburiana stansburiana

A widespread subspecies found in sandy washes, rocks and low-growing shrubs.

Northern sagebrush lizard

Sceloporus graciosus graciosus
Found near sagebrush and piñon-juniper.



Great Basin fence lizard

Sceloporus occidentalis biseriatus

A widespread subspecies found in a variety of habitats and often seen on rocks, logs, fence posts and old buildings.

Desert spiny lizard Sceloporus magister

A widespread species with a wide variety of habitats such as shadscale desert, juniper woodlands, willows and cottonwoods.

Desert horned lizard *Phrynosoma platyrhinos* Commonly called a "horny toad," this widespread species is found along washes and sand dunes and in sandy portions of arid areas.

Western skink Eumeces skiltonianus

A widely distributed species found in rocky habitats near sagebrush, piñon-juniper and grass.

Great Basin whiptail *Cnemidophorus tigris tigris* A widespread subspecies found in areas of open vegetation in varied habitats.

Sierra alligator lizard

Gerrhonotus coeruleus palmeri Found in the Sierra Nevada.

SNAKES

Boas

Rocky Mountain rubber boa

Charina bottae utahensis

A widespread subspecies found near woodlands and forests in rotting logs, under rock and downed trees, in meadows and along streams.


COLUBRIDS

Western yellow-bellied racer

Coluber constrictor mormon

A widespread subspecies found in open areas, meadows and along streams, but absent from very dry areas.





A widespread subspecies found in varied habitats-desert, brushland, woodland and farmland.

Desert striped whipsnake

Masticophis taeniatus taeniatus

A widespread subspecies found in brushland, grassland, sagebrush and piñon-juniper areas along streams.

Mojave patch-nosed snake

Salvadora hexalepis mojavensis

A widespread subspecies found near sagebrush and desert shrubs.

Great Basin gopher snake

Pituophis melanoleucus deserticola

A widespread subspecies found in varied habitats from lowlands to mountains.



California kingsnake Lampropeltis getulus californiae Widespread in varied habitats.

Western long-nosed snake

Rhinocheilus lecontei lecontei

A widespread subspecies found in deserts and brushlands, but seldom found in the mountains.

Valley garter snake *Thamnophis sirtalis fitchi* Found along the western edge of the district near ponds, ditches, meadows, farms and city lots.

Mountain garter snake *Thamnophis elegans elegans* Found in the mountains along the California/Nevada state line.

Wandering garter snake

Thamnophis elegans vagrans

A widespread subspecies usually found near streams and ponds.

Sierra garter snake *Thamnophis couchi couchi* Found in the Sierra Nevada region.

Ground snake Sonora semiannulata

Widespread in sandy areas in the district.

Desert night snake *Hypsiglena torquata deserticola* Widespread throughout the sagebrush flats and foot-



hills of the district.

Western leaf-nosed snake

Phyllorhynchus decurtatus perkinsi

The extreme southern part of Mineral County.

Nevada shovel-nosed snake Chionactis occipitalis talpina

Found in the southern parts of Mineral and Nye counties.

Utah black-headed snake

Tantilla planiceps utahensis

The extreme southern part of Mineral County.

California lyre snake

Trimorphodon biscutatus vandenburghi

The extreme southern part of Mineral County and areas near Mono Lake

VIPERS

Panamint rattlesnake Crotalus mitchelli stephensi

A poisonous subspecies found in the extreme southern part of the district.


Mojave Desert sidewinder *Crotalus cerastes cerastes* A poisonous subspecies found in sandy areas of southern Mineral County.

Northern Pacific rattlesnake

Crotalus viridis oreganus

A poisonous Sierra Nevada subspecies.

Great Basin rattlesnake *Crotalus viridis lutosus* A widespread poisonous subspecies with varied habitats.



Bureau of Land Management
Carson City District
1535 Hot Springs Road, Suite 300
Carson City, Necada 89706-0638

anagement The Buren stewardship is responsible It is committed to manage, protect and improve these lands in a manney to serve the needs of the American people for all times. Management is based on the principles of multiple use and sustained yield of our nation's resources within a framework of environmental responsibility and scientific technology. These resources include recreation; rangelands; timber; minerals; watershed; fish and wildlife; wilderness; air; and scenic, scientific and cultural values.

